

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form : Mixture
Product name : **BOCK**lub A46
UFI : UFI: G200-U0CW-500J-Q2F3

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Use of the substance/mixture : Lubricant

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet**Supplier**

BOCK GmbH
Benzstraße 7
72636 Frickenhausen - Germany
T: +49 7022 9454 0
E-mail: info@bock.de

Safety Data Sheet: DLAC Dienstleistungsagentur Chemie GmbH, E-mail: sds@dlac-gmbh.de

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency telephone number
Germany	Giftinformationszentrum-Nord Zentrum Pharmakologie und Toxikologie der Universität Göttingen	Robert-Koch Strasse 40 D-37075 Göttingen	+49 551 19240

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008 [CLP]**

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects.

2.2. Label elements**Labelling according to Regulation (EC) No 1272/2008 [CLP]**

Signal word (CLP) : -
Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP) : P273 - Avoid release to the environment.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients**3.1. Substances**

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No 1272/2008 [CLP]
Benzene, mono-C15-36-branched alkyl derivs., C24-rich	(CAS-no) 90171-05-4 (EC-no) 290-544-7	10 – < 25	Aquatic Chronic 4, H413
tert-butylphenyl diphenyl phosphate (tBuTPP)	(CAS-no) 68937-40-6 (EC-no) 700-990-0 (REACH-no) 01-2119519251-50-xxxx	0.25 – < 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

BOCKlub A46

Safety Data Sheet

according to Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Remove/Take off immediately all contaminated clothing. Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash with plenty of soap and water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Rinse mouth. Drink plenty of water as a precaution.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide. Dry extinguishing powder. Water spray. For a significant fire : Alcohol resistant foam. Making extinguishing agents environment-friendly.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon dioxide. Carbon monoxide.
--	---

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment. Move containers away from the fire area if this can be done without risk.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Provide adequate ventilation. Spilled material may present a slipping hazard.
------------------	---

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Prevent entry to sewers and public waters. Contain the spilled material by bunding. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Stop leak if safe to do so. Dispose of in accordance with relevant local regulations.
-------------------------	---

6.4. Reference to other sections

See section 8 for exposure controls and personal protection. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Avoid the formation of aerosol. Avoid contact with skin and eyes. Wear suitable protective clothing.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in original container. Keep container tightly closed. Keep at temperature not exceeding the flash point.
Prohibitions on mixed storage	: Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Lubricant.

BOCKlub A46

Safety Data Sheet

according to Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

tert-butylphenyldiphenyl phosphate (tBuTPP)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	10.75 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	7.58 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	5.375 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	1.87 mg/m ³
Long-term - systemic effects, dermal	5.375 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.004 mg/l
PNEC aqua (marine water)	0 mg/l
PNEC aqua (intermittent, freshwater)	2.02 µg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	3.12 mg/kg dwt
PNEC sediment (marine water)	0.312 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.246 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	23.89 mg/kg food

8.2. Exposure controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Hand protection	: Wear suitable gloves (EN 374). Nitrile rubber. 0.38 mm. The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
Eye protection	: Safety goggles recommended during refilling.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: No respiratory protection needed under normal use conditions. In case of inadequate ventilation wear respiratory protection. Breathing apparatus with filter A.
Environmental exposure controls	: Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Light yellow
Odour	: Characteristic
Melting point/freezing point	: No data available
Boiling point or initial boiling point and boiling range	: No data available
Flammability	: No data available
Lower and upper explosion limit	: No data available
Flash point	: 199 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: No data available
Kinematic viscosity	: 46 mm ² /s (40 °C)
Solubility	: Water: practically insoluble
Partition coefficient n-octanol/water (log value)	: Not applicable
Vapour pressure	: No data available
Density and/or relative density	: 0.86 g/cm ³ (15 °C)
Relative vapour density	: No data available
Particle characteristics	: Not applicable

BOCKlub A46

Safety Data Sheet

according to Regulation (EU) 2020/878

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Explosive properties : No explosive properties
Oxidising properties : No oxidising properties

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under use and storage conditions as recommended in section 7.

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

High temperature.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

No hazardous decomposition products known. In case of fire: Toxic gases are released. Carbon dioxide. Carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Not classified
Based on available data, the classification criteria are not met

Benzene, mono-C15-36-branched alkyl derivs., C24-rich (90171-05-4)	
LD50 oral rat	> 10000 mg/kg
tert-butylphenyldiphenyl phosphate (tBuTPP)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation rat	> 0.4 mg/l/6 h

Skin corrosion/irritation : Not classified
Based on available data, the classification criteria are not met

Serious eye damage/irritation : Not classified
Based on available data, the classification criteria are not met

Respiratory or skin sensitisation : Not classified
Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified
Based on available data, the classification criteria are not met

Carcinogenicity : Not classified
Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified
Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : Not classified
Based on available data, the classification criteria are not met

Specific target organ toxicity (repeated exposure) : Not classified
Based on available data, the classification criteria are not met

Aspiration hazard : Not classified
Based on available data, the classification criteria are not met

11.2. Information on other hazards

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity : Not classified

BOCKlub A46

Safety Data Sheet

according to Regulation (EU) 2020/878

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Benzene, mono-C15-36-branched alkyl derivs., C24-rich (90171-05-4)	
LC50 fish	> 10000 mg/l 96 h
EC50 crustacea	> 1000 mg/l 48 h, Daphnia magna

tert-butylphenyldiphenyl phosphate (tBuTPP)	
LC50 fish	0.8 mg/l 96 h, Ictalurus punctatus
EC50 crustacea	0.202 mg/l 48 h, Daphnia magna
EC50 algae	1.4 mg/l 72 h, Pseudokirchneriella subcapitata
NOEC chronic fish	0.093 mg/l 90 d, Pimephales promelas
NOEC chronic crustacea	0.0399 mg/l 21 d, Daphnia magna
NOEC chronic algae	0.05 mg/l 72 h, Pseudokirchneriella subcapitata

12.2. Persistence and degradability

Benzene, mono-C15-36-branched alkyl derivs., C24-rich (90171-05-4)	
Persistence and degradability	Not readily biodegradable.
Biodegradation	58.8 % 28 d (OECD 301 F)

tert-butylphenyldiphenyl phosphate (tBuTPP)	
Persistence and degradability	Readily biodegradable.
Biodegradation	61 % 28 d (OECD 301 D)

12.3. Bioaccumulative potential

tert-butylphenyldiphenyl phosphate (tBuTPP)	
Partition coefficient n-octanol/water (Log Pow)	4.68 (25 °C)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Dispose in a safe manner in accordance with local/national regulations.
European List of Waste (LoW) code : 13 02 08* - other engine, gear and lubricating oils
Waste code number : The valid EWC waste code numbers are source related. The manufacturer is therefore unable to specify EWC waste codes for the articles or products used in the various sectors. The EWC codes listed are intended as a recommendation for users.

SECTION 14: Transport information

In accordance with IATA / IMDG / ADR

14.1. UN number or ID number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

BOCKlub A46

Safety Data Sheet

according to Regulation (EU) 2020/878

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

15.1.1. EU-Regulations

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

Chemical safety assessment was not carried out.

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Changes compared to the previous version : -

Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	The effective concentration of substance that causes 50% of the maximum response (Median Effective Concentration)
IATA	International Air Transport Association
IMDG	"International Maritime Dangerous Goods Code" for the transport of dangerous goods by sea
LC50	Lethal Concentration to 50% of a test population (Median Lethal Concentration)
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)

BOCKlub A46

Safety Data Sheet

according to Regulation (EU) 2020/878

NOEC/L	No Observed Effect Concentration/Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent, Bioaccumulative and Toxic substance
PNEC	Predicted No-Effect Concentration
REACH	Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
SDS	Safety Data Sheet
STP	Sewage Treatment Plant
UFI	Unique Formula Identifier
vPvB	Very Persistent and Very Bioaccumulative

Full text of H- and EUH-phrases:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH210	Safety data sheet available on request.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.