

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form : Mixture
Product name : **BOCK**lub G68
UFI : -

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Use of the substance/mixture : Industrial lubricant

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet**Supplier**

BOCK GmbH
Benzstraße 7
72636 Frickenhausen - Germany
T: +49 7022 9454 0
E-mail: info@bock.de

Safety Data Sheet: DLAC Dienstleistungsagentur Chemie GmbH, E-mail: sds@dlac-gmbh.de

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency telephone number
Germany	Giftinformationszentrum-Nord Zentrum Pharmakologie und Toxikologie der Universität Göttingen	Robert-Koch Strasse 40 D-37075 Göttingen	+49 551 19240

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Acute toxicity (oral), Category 4 H302

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H-phrases: see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Harmful to aquatic life with long lasting effects.

2.2. Label elements**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Hazardous ingredients :

Polypropylene glycol

Hazard statements (CLP) :

H302 - Harmful if swallowed.
H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P264 - Wash hands, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P273 - Avoid release to the environment.
P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.
P330 - Rinse mouth.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
EUH208 - Contains N-1-naphthylaniline(90-30-2). May produce an allergic reaction.

EUH-statements :

2.3. Other hazards

No additional information available

BOCKlub G68

Safety Data Sheet

according to Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Polypropylene glycol	(EC-No.) 952-696-9	50 – 100	Acute Tox. 4 (Oral), H302
N-1-naphthylaniline	(CAS-No.) 90-30-2 (EC-No.) 201-983-0 (REACH-no) 01-2119488704-27-xxxx	0.25 – < 1	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Get medical advice/attention if you feel unwell. If possible show him this sheet. Failing this, show him the packaging or label. Never give anything by mouth to an unconscious person. Place the affected person in the recovery position.
First-aid measures after inhalation	: Move the affected person away from the contaminated area and into the fresh air. Make the affected person rest and keep at warm.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Rinse mouth. Drink plenty of water as a precaution. Call a POISON CENTRE or doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after ingestion	: Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide. Dry extinguishing powder. Water spray. For a significant fire: Alcohol resistant foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon dioxide. Carbon monoxide. Nitrogen oxides.
--	--

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Use a self-contained breathing apparatus and also a protective suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe vapour/aerosol.
------------------	---

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

6.1.2. For emergency responders

Protective equipment	: Wear suitable protective clothing. Self-contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Wipe up with absorbent material (for example cloth). Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Keep in suitable, closed containers for disposal. Dispose of in accordance with relevant local regulations.
-------------------------	--

BOCKlub G68

Safety Data Sheet

according to Regulation (EU) 2020/878

6.4. Reference to other sections

See section 8. Exposure controls and personal protection. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Do not breathe vapour/aerosol. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. When using do not eat, drink or smoke. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Take off contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in original container. Store tightly closed in a dry and cool place. Protect from sunlight. Protect from heat and direct sunlight.
Prohibitions on mixed storage	: Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

N-1-naphthylaniline (90-30-2)	
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	6.67 mg/kg bodyweight/day
Acute - systemic effects, inhalation	44 mg/m ³
Long-term - systemic effects, dermal	0.02 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0.08 mg/m ³
DNEL/DMEL (General population)	
Acute - systemic effects, dermal	3.33 mg/kg bodyweight
Acute - systemic effects, inhalation	33 mg/m ³
Acute - systemic effects, oral	2 mg/kg bodyweight
Long-term - systemic effects, oral	0.008 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0.015 mg/m ³
Long-term - systemic effects, dermal	0.008 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0 mg/l
PNEC aqua (marine water)	0 mg/l
PNEC aqua (intermittent, freshwater)	0.003 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.034 mg/kg dwt
PNEC sediment (marine water)	0.003 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.007 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	7.173 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	100 mg/l

8.2. Exposure controls

Appropriate engineering controls	: Provide local exhaust or general room ventilation to minimize vapour concentrations.
Hand protection	: Wear suitable gloves (EN 374). Nitrile rubber, 0.35 mm. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Eye protection	: Wear safety glasses (EN 166)
Skin and body protection	: Wear suitable protective clothing.

BOCKlub G68

Safety Data Sheet

according to Regulation (EU) 2020/878

Respiratory protection : No respiratory protection needed under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment. Breathing apparatus with filter type A.

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Colourless to yellow

Odour : Mild

Melting point/ Freezing point : No data available

Boiling point or initial boiling point and boiling range : No data available

Flammability : No data available

Lower and upper explosion limit : No data available

Flash point : > 218.3 °C (Cleveland Open Cup)

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : No data available

Kinematic viscosity : 61.5 mm²/s (40 °C)
10.8 mm²/s (100 °C)

Solubility : Water: practically insoluble

Partition coefficient n-octanol/water (log value) : No data available

Vapour pressure : No data available

Density and/or relative density : 0.984 (20 °C)

Relative vapour density : No data available

Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Explosive properties : No explosive properties

Oxidising properties : No oxidising properties

9.2.2. Other safety characteristics

Bulk density : 8.205 lb/gal (25 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use

10.2. Chemical stability

Stable under use and storage conditions as recommended in section 7.

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

Heat. Sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

No hazardous decomposition products known. In case of fire: Nitrogen oxides. Carbon dioxide. Carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Harmful if swallowed.

N-1-naphthylaniline (90-30-2)	
LD50 oral rat	1625 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

Skin corrosion/irritation : Not classified
Based on available data, the classification criteria are not met

Serious eye damage/irritation : Not classified
Based on available data, the classification criteria are not met

BOCKlub G68

Safety Data Sheet

according to Regulation (EU) 2020/878

Respiratory or skin sensitisation	: Not classified Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity (repeated exposure)	: Not classified Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified Based on available data, the classification criteria are not met

11.2. Information on other hazards

Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
---	---

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Harmful to aquatic life with long lasting effects.

N-1-naphthylaniline (90-30-2)	
LC50 fish	0.44 mg/l 96h, Oncorhynchus mykiss
EC50 crustacea	0.3 mg/l 48 h, Daphnia magna
EC50 algae	0.93 mg/l 96 h, Pseudokirchneriella subcapitata
NOEC chronic crustacea	0.032 mg/l 21 d, Daphnia magna
EC50 microorganism	> 10000 mg/l 3 h, activated sludge

12.2. Persistence and degradability

N-1-naphthylaniline (90-30-2)	
Persistence and degradability	Not readily biodegradable.
Biodegradation	0 % 28 d, (OECD 301 C)

12.3. Bioaccumulative potential

N-1-naphthylaniline (90-30-2)	
Partition coefficient n-octanol/water (Log Pow)	4.28

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Waste treatment methods	: Do not empty into drains; dispose of this material and its container in a safe way.
Waste code number	: The valid EWC waste code numbers are source related. The manufacturer is therefore unable to specify EWC waste codes for the articles or products used in the various sectors. The EWC codes listed are intended as a recommendation for users.

SECTION 14: Transport information

In accordance with IATA / IMDG / ADR

14.1. UN number or ID number

UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable

BOCKlub G68

Safety Data Sheet

according to Regulation (EU) 2020/878

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

Chemical safety assessment was not carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Changes compared to the previous version : -

Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

BOCKlub G68

Safety Data Sheet

according to Regulation (EU) 2020/878

DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	The effective concentration of substance that causes 50% of the maximum response (Median Effective Concentration)
IATA	International Air Transport Association
IMDG	"International Maritime Dangerous Goods Code" for the transport of dangerous goods by sea
LC50	Lethal Concentration to 50 % of a test population (Median Lethal Concentration)
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
LOAEL	Lowest Observed Adverse Effect Level
NOAEC/L	No Observed Adverse Effect Concentration/Level
NOEC/L	No Observed Effect Concentration/Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent, Bioaccumulative and Toxic substance
PNEC	Predicted No-Effect Concentration
REACH	Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
SDS	Safety Data Sheet
STP	Sewage Treatment Plant
UFI	Unique Formula Identifier
vPvB	Very Persistent and Very Bioaccumulative

Full text of H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains ... May produce an allergic reaction.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product